



colornix[®]
COLORFUL ARCHITECTURAL ILLUMINATION

Your building is now your canvas.



ColorRay static and dynamic color changing

ColorFlood

Intuitive, easy to use, and with a wide variety of options, the ColorFlood series provides spot and flood LED color changing at the push of a button. Designed for retail, hospitality, high-end residential and a host of other applications, these fixtures come in four output configurations and a wide variety of lensing options.

BENEFITS

- IP66 Available by special order
- Smooth and flicker-free dimming of all colors down to 1%
- Multiple Beam Spreads



ColorRay static and dynamic color changing

Adjustable Flood/Spot Lighting



SS2-RGBW-8R-04
ColorFlood
4 LED
1100lm (32W)
5-1/2" D



SS2-RGBW-8R-10
ColorFlood
10 LED
2500lm (80W)
8-1/4" D



SS2-RGBW-8R-15
ColorFlood
15 LED
3500lm (110W)
9-1/2" D



SS2-RGBW-120R
ColorFlood
400lm (120W)
10" D



SS2-RGBW-10S-24
ColorFlood
24 LED
5200lm (161W)
10-3/4" H x 4" W x 15-3/16" L



Internamix

Provides smooth 1-color light output



RGBW

One Red, Green, Blue and White LED for a true white



DMX Direct

Four-channel DMX address for each unit



ColorRay™

Pre-programmed data-enabled fixtures come standard



LINK TO WEB PAGE



ColorFacade

Energy efficient, User-Friendly and Stunningly clean optics give these Graze/Wall Wash fixtures a unique place in the market. Designed for use in retail, hospitality, corporate settings and a variety of other markets.

BENEFITS

- DMX direct via LCD display
- Multiple beam spreads
- Proprietary quick connectors included
- Static Colors Available
- InternaMix™ proprietary technology
- Smooth and flicker-free dimming to 1%
- 3-Year Warranty



ColorRay static and dynamic color changing

Adjustable Linear Flood/Graze Wall Wash

SS2-5L-16
40" Color Facade
16 LED
3000lm (76W)



SS2-18L-18
40" Color Facade
18 LED
5250lm (105W)



Internamix

Provides smooth 1-color light output



RGBW

One Red, Green, Blue and White LED for a true white



DMX Direct

Four-channel DMX address for each unit



ColorRay™

Pre-programmed data-enabled fixtures come standard



LINK TO WEB PAGE



SS6-RGB-3R and SS6-RGB-6R bring dynamic effects to water features

Underwater & Landscape

Designed to enhance landscape, trees, signage and water features. For smaller projects requiring minimal color changing flood lighting. RGBW design allows fine-tuned pastel colors, saturated hues without sacrificing illumination brightness.

BENEFITS

- DMX direct via data enabler
- Static Colors Available
- InternaMix™ proprietary technology
- Smooth and flicker-free dimming to 1%
- 3-Year Warranty



SS3-RGBW-3R Pathway

Low Voltage



SS6-RGB-3R
3-3/4" Underwater
350lm (15W)



SS6-RGB-6R
5" Underwater
650lm (30W)



SS3-RGBW-3R
5-1/8" Pathway
481lm (15W)



SG3-RGBW-1R
5-1/8" In-Ground
(6W) Low Voltage



InternaMix

Provides smooth
1-color light output



RGBW

One Red, Green, Blue
and White LED for a
true white



DMX Direct

Four-channel DMX
address for each unit



ColorRay™

Pre-programmed
data-enabled fixtures
come standard



LINK TO WEB PAGE



Controls

From simple to complex, Coloronix has a solution to handle your lighting system. All Coloronix products are fully controllable via DMX for those who want to bring their own control solution to the table.



DMX Controllers



SCC5
ColorRay™
Signal Receiver &
Remote Control
12V DC 0.65A



SCC9
Multi-Zone
120VAC



SCC11
Color Control
Touch Zone Controller
5-10V DC 0.6A



Internamix

Provides smooth
1-color light output



RGBW

One Red, Green, Blue
and White LED for a
true white



DMX Direct

Four-channel DMX
address for each unit



ColorRay™

Pre-programmed
data-enabled fixtures
come standard



LINK TO WEB PAGE