

# WD-SERIES

Litcon®  
OUTDOOR



# WD-SERIES

Versatile luminaires for precise directional lighting.

WD1360J Adjustable shown in background



WD1360 Downlight shown in inset

# Wall Mount Directional

LITON's WD-Series 1-direction wall luminaire can be pointed up or down and used as downlight for direct illumination or uplight for indirect illumination of architecture facades.

## BENEFITS

- Energy efficient, low glare LED Chip-On-Board light engine
- 1-Direction is available with Standard, Cleanbeam™ or Specialty beams
- 1-Direction Adjustable is available with 45° Flood or 60° Wide Flood
- 5-Year Limited Warranty
- Integral Emergency Option!

## 1-Direction Downlight



**WD1340**  
4" Round  
1000lm-1500lm  
(15W-22W)  
**INT**



**WD1360**  
6" Round  
1000lm -2600lm  
(15W-30W)  
**INT**



**WD1Q340**  
4" Square  
850lm (15W)  
**INT**



**WD1Q360**  
6" Square  
1000lm -2600lm  
(15W-30W)  
**INT**

## 1-Direction Adjustable



**WD1340J**  
4" Round Adjustable  
700lm (9W)  
**RMT or SDL**




**WD1360J**  
6" Round Adjustable  
1500lm (15W)  
**RMT or SDL**



**WD1Q340J**  
4" Square Adjustable  
700lm (9W)  
**RMT or SDL**



**WD1Q360J**  
6" Square Adjustable  
1500lm (15W)  
**RMT or SDL**



**SDL** (Integral Daylight)




**RMT** (Remote Motion/Daylight)



**INT** (Integral Motion/Daylight)


### 4" & 6" DOWNLIGHT

#### STANDARD BEAMS



60° 10° 20° 45°

#### CLEANBEAM™



10° 15° 35°


#### SPECIALTY BEAMS



Wall Wash Type II Type IV


### ADJUSTABLE DOWNLIGHT

#### 4" STANDARD BEAMS



45° 60°

#### 6" STANDARD BEAMS



12° 24° 36° 50°

#### STANDARD FINISHES



White Silver Bronze Black

#### SPECIAL ORDER FINISHES



Light Silver Dark Gray Metallic Gold Metallic Black



RGBW Option



Emergency Backup



US Assembled



120V



277V




347V Option



Dark Sky Option



Turtle Safe Option



CleanBeam feature for uniform light output



LINK TO WEB PAGE

# WD-SERIES



WD2360 with Integral Emergency Back Pack (-EMB-SD) feature shown in inset

WD2360 shown in background

# Wall Mount Bi-Directional

LITON's 2-direction wall luminaire's dual reflector design allows for direct and indirect lighting from a single fixture. Typical locations are in commercial and retail spaces that contain walls and/or columns that require directional lighting.

## BENEFITS

- Energy efficient, low glare LED Chip-On-Board light engine
- Standard, Cleanbeam™ or Specialty beam options
- Integral & remote Emergency options available
- 5-Year Limited Warranty

## 2-Direction Up/Down



**WD2340**  
4" Round  
2 x 1000lm (30W)  
**RMT or SDL**




**WD2360**  
6" Round  
2 x 1000lm-2600lm  
(30W-64W)  
**INT**



**WD2Q340**  
4" Square  
2 x 850lm (30W)  
**RMT or SDL**



**WD2Q360**  
6" Square  
2 x 1000lm -2600lm  
(30W-64W)  
**INT**



**SDL** (Integral Daylight)




**RMT** (Remote Motion/Daylight)



**INT** (Integral Motion/Daylight)

## Options



CleanBeam feature for uniform light output



Direct Conduit J-Box entry feature for in-line installation

### STANDARD BEAMS



60° 10° 20° 45°

### CLEANBEAM™



10° 15° 35°

### SPECIALTY BEAMS



Wall Wash Type II Type IV

#### STANDARD FINISHES



White Silver Bronze Black

#### SPECIAL ORDER FINISHES



Light Silver Dark Gray Metallic Gold Metallic Black



RGBW Option



Emergency Backup



US Assembled



120V



277V



347V Option



Dark Sky Option



Turtle Safe Option



LINK TO WEB PAGE

# WD-SERIES



WD1473 Trapezoid shown in background



WD1472 Scoop shown in inset

# Wall Mount Scoop/Trapezoid

The Scoop/Trapezoid single reflector design can be used for direct illumination downward or indirect illumination upward. The fixtures are dark sky compliant, and also available in an optional Florida Fish and Wildlife Turtle Safe approved version.

## BENEFITS

- Sleek architectural design
- Durable, corrosion-resistant finish
- Emergency back up available
- 5-year limited warranty
- Now with Integral Emergency Option!

## Scoop/Trapezoid




**WD1472** 8" (Scoop)  
8" x 4" Rectangle  
850lm (15W)  
INT




**WD1473** (Trapezoid)  
8" x 4" Rectangle  
850lm (15W)  
INT

## INT (Integral Motion/Daylight)



WD1472



WD1473

## STANDARD BEAMS



STANDARD FINISHES				SPECIAL ORDER FINISHES			
White	Silver	Bronze	Black	Light Silver	Dark Gray	Metallic Gold	Metallic Black
RGBW Option	Emergency Backup	US Assembled	120V	277V	347V Option	Dark Sky Option	Turtle Safe Option
						ADA Compliant	



LINK TO WEB PAGE