



# CATEGORY COMPARISONS PRODUCT GUIDE

- 1** LITON Main
- 3** Acuity Brands®
- 5** Cooper Lighting®
- 6** Current Lighting® (HLI)
- 7** Signify-Genlyte®

## P-SERIES™

PRECISION RECESSED

500lm - 2,400lm



■ 1.5" | 2.5"

● 1.5" | 2.5"

### COMPARES WITH

#### Acuity®

Aculux™ - AX Series

#### Current Lighting® (HLI)

Kurt Versen™ - Noni Downlight

#### Signify - Genlyte®

Lightlier™ - Calculite Downlight

#### Signify - Cooper®

2" Portfolio™ Recessed Downlight

## LUMENBLAST™

HIGH LUMEN RECESSED

1,000lm - 10,000lm



■ 4" | 6"

● 4" | 6" | 8"

### COMPARES WITH

#### Acuity®

Indy™ - L Series Recessed

#### Current Lighting® (HLI)

PrescoLite™ - MegaLum

#### Signify - Genlyte®

N/A


#### Signify - Cooper®

Portfolio™ Recessed Downlight

## C-SERIES™

ARCHITECTURAL RECESSED

1,000lm - 6,200lm



■ 4" | 6"

● 4" | 6" | 8" | 10"

### COMPARES WITH

#### Acuity®

Lithonia™ - LD Series

#### Current Lighting® (HLI)

PrescoLite™ - LiteFrame Pro

#### Signify - Genlyte®

Lyteprofile™

#### Signify - Cooper®

Halo™ Recessed Downlight

## LUMENCANNON™

DOWNLIGHT & PENDANT

1,000lm - 10,000lm



● 4" | 6" | 8"

### COMPARES WITH

#### Acuity®

Indy™ - L Series Cylinders

#### Current Lighting® (HLI)

PrescoLite™ - MC10 LED Cylinder

#### Signify - Genlyte®

Calculite™ Cylinder

#### Signify - Cooper®

Portfolio™ Cylinders

## CYLO™/CYLOPRO™

CYLINDER SPOT, PENDANT, ADJUSTABLE

700lm - 3,500lm



● 1.5" | 1.75" | 2.5"

2.75" | 3" | 3.5" | 5"

### COMPARES WITH

#### Acuity®

Luminis™ - Syrios Cylinders

#### Current Lighting® (HLI)

Kurt Versen™ Noni Cylinders

#### Signify - Genlyte®

Lightlier™ - Caluclite Cylinders

#### Signify - Cooper®

Portfolio™ Cylinders

## LUMENPAD™

SURFACE MOUNT, PENDANT

1,000lm - 2,000lm



■ 5" | 7" | 12"

● 5" | 7" | 12" | 18"

### COMPARES WITH

#### Acuity®

Juno™ - SlimForm

#### Current Lighting® (HLI)

PrescoLite™ - LiteBox Edge-Lit

#### Signify - Genlyte®

Lightlier™ - Slim Surface

#### Signify - Cooper®

Halo™ Surface Downlights

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

## AG-2 SERIES™

ABOVE GRADE ACCENT/SPOT/FLOOD  
1,000lm - 16,000lm



■ 4"  
● 4" | 6" | 8"

### COMPARES WITH

**Acuity**<sup>®</sup>  
Hydrel™ - Accent & Landscape

**Current Lighting**<sup>®</sup> (HLI)  
Kim Lighting™ Intent & Scarab


**Signify - Genlyte**<sup>®</sup>  
Hadco™ FlexScope Accent

**Signify - Cooper**<sup>®</sup>  
Lumark™ - TCR Tracer

## NEW AI SEARCH FUNCTION

Enter a competitor, name brand or product in the liton.com search bar and our system will suggest similar products from our catalog.

**Search Examples:**  
1. "Aculux Recessed"  
2. "Incito 6"  
3. "Hydrel Ingrade 6"



## LUMENPOLE™

BOLLARDS & COLUMNS  
500lm - 3,100lm



■ 2.5' | 3.5' | 5' 4" | 6"  
■ 6.5' | 8' | 10' | 12'

### COMPARES WITH

**Acuity**<sup>®</sup>  
Luminis™ - Lumiquad & Lumistik

**Current Lighting**<sup>®</sup> (HLI)  
Architectural Area Lighting™ - Kick Bollard

**Signify - Genlyte**<sup>®</sup>  
Lumec™ Light Column

**Signify - Cooper**<sup>®</sup>  
N/A

## WD/DL SERIES™

WALL/CEILING MOUNT/PENDANT  
700lm - 2,600lm



■ 4" | 6"  
● 4" | 6"

### COMPARES WITH

**Acuity**<sup>®</sup>  
Luminis™ - Syrios Pro

**Current Lighting**<sup>®</sup> (HLI)  
PrescoLite™ Liteistry

**Signify - Genlyte**<sup>®</sup>  
Calculate™ Cylinders

**Signify - Cooper**<sup>®</sup>  
Lumiere™ Lanterra & Westwood

## DALUME™

MINIATURE LINEAR LED  
500lm - 10,400lm



■ 1' | 2' | 4' | 8'

### COMPARES WITH

**Acuity**<sup>®</sup>  
Lithionia™ Linear & Peerless

**Current Lighting**<sup>®</sup> (HLI)  
Lightcontrol™ MOD 2L

**Signify - Genlyte**<sup>®</sup>  
Ledalite™ - TruGroove Micro

**Signify - Cooper**<sup>®</sup>  
Corelite™ CL2 Linear & NeoRayLinear

## COLORONIX™

DMX RGB+W  
400lm - 5,200lm



■ 40" | 4" - 10" Ø  
■ 7.5" H' x 13" L

### COMPARES WITH

**Acuity**<sup>®</sup>  
Hydrel™ & Gotham™ - RGBW

**Current Lighting**<sup>®</sup> (HLI)  
Lightscaper™ RGBW





























**Signify - Genlyte**<sup>®</sup>  
Color Kinetics™ PowerCore Burst / Blast / Accent

**Signify - Cooper**<sup>®</sup>  
Ephesus™ Lumasport - Halo™ Wiz

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

## ACUITY®



















## LITON® SIMILAR

<b>ACULUX™</b> AX Series	P-Series™ 1.5" 500lm - 1,000lm	1.5" Ø	 
Initia Series	P-Series™ 2.5" 1,000lm - 2,400lm	2.5" Ø	 
Lini Series	ModuLED® Matrix™ 200lm - 3,000lm	1 - 15 cell	
<b>CYCLONE™</b> Zen	BL2R 1,200lm - 3,100lm	2.5' - 12' H	
<b>GOTHAM™</b> EVO Recessed <6000L	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø	 
EVO Recessed >6000L	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø	 
Incito 2" Recessed	P-Series™ 1,000lm - 2,400lm	2.5" Ø	 
Incito 4"-8" Recessed	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø	 
Incito Cylinders	Cylo™ 800lm - 3,600lm	2" - 4" Ø	
IVO Recessed <6000L	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø	 
IVO Recessed >6000L	Lumenblast™ 1,000lm - 10,000lm	4", 6", 8" Ø	 
IVO™ Shallow Cylinders	DL-Series™ 700lm - 2,600lm	4", 6" Ø	 
<b>HYDREL™</b> Hydrel - HyStep	LS/SL Step lighting 44.5lm - 1,500lm	2.5" - 12" L.	
Landscape Lighting	AG2 1,000lm - 16,000lm	4", 6", 8" Ø	 
Lowell Wall Cylinders	WD13 & WD23 700lm - 2,600lm	4", 6", 8" Ø	 
Hydrel - Sign Lighting	AG2 1,000lm - 16,000lm	4", 6", 8" Ø	 

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

## ACUITY








## LITON SIMILAR

<b>HYDREL™</b>	Hydrel - Tierra In-Grades	SG3 RGBW LED 158lm - 481lm	5", 6-3/4" Ø 
	RGBW Flood/Accents & Linear Floods	Coloronix™ SS2 1,100lm - 5,250lm	40" L, 4" - 10" Ø, 7.5" H x 13" L 
<b>INDY™</b>	L-Series - Cylinders	Coming Soon	
	L-Series - Recessed	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø  
	Indy L-Series - Recessed Retrofit	CRTSL 800lm - 6,000lm	4", 6", 8", 10" Ø  
<b>JUNO™</b>	Juno - SlimForm	LumenPad™ 1,000lm - 2,000lm	5", 7", 12", 18" Ø  
	Juno - Trak-Master	LTD Track 800lm - 6,000lm	2" - 5" Ø 
<b>LITHONIA™</b>	LDN Series Cylinders	Coming 2025	
	LDN Series Recessed	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  
<b>LUMINIS™</b>	Lumiquad	LumenPole™ Square 500lm - 3,000lm	2.5' - 12' H 
	Lumistik	LumenPole™ Round 500lm - 3,100lm	2.5' - 12' H 
	Scena	WS-Series™ 600lm - 1,500lm	10" - 14" Ø  
	Scopo Flood	AG2 1,000lm - 16,000lm	4", 6", 8" Ø  
	Scopo Wall Mount	WD/DL-Series™ 700lm - 2,600lm	4", 6" Ø  

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

## COOPER LIGHTING®



























## LITON® SIMILAR

<b>CORELITE™</b> Continua	<b>Dalume™ Linear</b> 500lm - 10,400lm 1', 2', 4', 8' L 
<b>HALO™</b> Commercial	<b>C-Series™</b> 900lm - 6,200lm 4", 6", 8", 10" Ø 
Recessed	<b>E-Series™ Recessed</b> 550lm - 1,200lm 2", 3", 4", 6" Ø 
Track Recessed Retrofit	<b>LTD Track</b> 800lm - 6,000lm 2" - 5" Ø 
<b>LUMIERE™</b> Lantera	<b>AG2 - Outdoor, Cylo - Indoor</b> 800lm - 16,000lm 2" - 8" Ø 
<b>PORTFOLIO™</b> Cylinders	<b>Lumen Cannon™ Cylinders</b> 1,000lm - 10,000lm 4", 6", 8" Ø 
Recessed	<b>Lumen Blast™ Recessed &amp; C-Series™ Recessed</b> 900lm - 10,000lm 4", 6", 8" Ø 

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

**CURRENT LIGHTING** (HLI)






















**LITON** SIMILAR

<b>KURT VERSEN</b> ™ Noni - Recessed	P-Series™ 500lm - 2,400lm	1.5", 2.5" Ø  
Noni - Surface	Coming 2025	
<b>PRESCOLITE</b> ™ Megalum - Cylinder	Lumen Cannon™ Cylinders 1,000lm - 10,000lm	4", 6", 8" Ø  
Megalum - Recessed	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø  
LiteFrame	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  
Liteistry Cylinders	Cylo™, WD, DL 1700lm - 3,600lm	2" - 6" Ø  
Liteistry Recessed 3"	P-Series™ 2.5" 1,000lm - 2,400lm	2.5" Ø  
Liteistry Recessed 4" and 6"	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø  
A2/D2	P-Series™, Cylo™ 500lm - 3,600lm	1.5" - 4" Ø  
NiteWay	LSLD-Series 44.5lm - 1,500lm	2.5" sq. - 2" x 3" L 
DISC	LumenDisc™ 800lm - 1,300lm	4", 6", 9" Ø 
Edge-Lit	LumenPad™ 1,000lm - 2,000lm	5", 7", 12", 18" Ø  
LiteBox A-Series	E-Series™ Recessed 550lm - 1,200lm	2", 3", 4", 6" Ø  
Litebox Pro	LumenBlast™ 1,000lm - 10,000lm	4", 6", 8" Ø  
Litebox Standard	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.

## SIGNIFY-GENLYTE®

## LITON® SIMILAR

<b>GARDCO™</b>	Bollards	BL3 & BL4 324lm - 2,300lm	7" Ø 
	Step Lights	SL6 & SL7 300lm - 1,500lm	7", 9", 11" L 
<b>HADCO™</b>	Landscape Accents	AG2 1,000lm - 16,000lm	4", 6", 8" Ø  
	Step Lights	SL6 & SL7 300lm - 1,500lm	7", 9", 11" L 
<b>LIGHTOLIER™</b>	Calculite 1.5" - 3"	P-Series™ 500lm - 2,400lm	1.5", 2.5" Ø  
	Calculite 4" - 8"	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  
	LyteCaster 2" - 4"	E-Series™ 2" - 4" 500lm - 1,000lm	2", 3", 4" Ø  
	LyteCaster 4" - 6"	C-Series™ 4" - 6" 800lm - 6,000lm	4", 6" Ø  
	LyteCaster Accent / 3"	E-Series™ 550lm - 1,200lm	2", 3", 4", 6" Ø 
	LyteProfile	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  
	Modulyte	C-Series™ 900lm - 6,200lm	4", 6", 8", 10" Ø  
	SlimSurface	LumenPad™ 1,000lm - 2,000lm	5", 7", 12", 18" Ø  
<b>STONCO™</b>	Commercial Bollard	BL3 & BL4 324lm - 2,300lm	7" Ø 

NOTICE AND DISCLAIMER: The information herein is derived from public data as of December 2024. All trademarks and brand names referenced are the property of their respective owners and are used solely for comparative purposes, without implied endorsement or affiliation. Users shall determine the appropriateness of comparisons for their intended use. Liton Lighting makes no warranties regarding the accuracy of comparative data. For complete terms, see Liton Lighting's Terms and Conditions.